

Workman[®] Confined Space Entry Kit



*Because every life has a **purpose...***

The Workman Tripod Easy to Use. Durable. Versatile.

The Workman Tripod is very easy to use. Simple setup makes the process quick and promotes correct use.

Ease-of-use features:

- Legs automatically lock in open position for added safety.
- Maximum height indicator provides quick and easy identification of maximum leg extension length.
- No need for separate pulley/bracket assembly, making winch or hoist attachment easier and faster.
- Accessories attach to any leg for faster setup.
- Aluminium leg and head design reduces weight, improving portability.
- Telescoping legs (up to 8 ft. high) do not tangle when unit is collapsed for easier transportation and storage.



Durable

A tripod needs to hold up well under use, and the Workman Tripod does. Built for durability, the unit features:

- Skid-resistant feet with built-in leg base support strap that improves stability and strengthens entire system.
- Cut-resistant pin retention chains that enable extended service life.
- Internal leg-locking mechanism prevents accidental disengagement during use and reduces possibility of damage to mechanism during use or while in storage.

Versatile

If ease-of-use and durability aren't enough, the Workman Tripod offers great versatility:

- Leg base support strap also serves as convenient carry strap.
- Tripod legs feature 4" incremental adjustments with easy-to-insert ball detent pins.
- Unit is backwards-compatible with Lynx® Hoist and Lynx Rescuer; no need to purchase new equipment or undergo costly upgrades.
- Unit is backwards-compatible with Workman Winch, Lynx® Hoist and Lynx Rescuer; no need to purchase new equipment or undergo costly upgrades.



Replacement Parts & Accessories

REPLACEMENT PARTS & ACCESSORIES	10102002	Workman Tripod
	10105612	Leg base support strap
	10089207	Carabiner
	506222	Pulley
	10011744	Lynx Rescuer 50-ft (16 m)
	506232	Lynx Rescuer mounting bracket for 50-ft (16 m)
	506216	Lynx Rescuer mounting bracket for 95-ft (29 m)
	10105656	Tripod duffel bag
	507151	Lynx Hoist carry bag

Technical Specs for Workman Tripod

MAXIMUM HEIGHT OF TRIPOD	96" to top of tripod head 91" under tripod head
WEIGHT	45 lbs (20 kg)
FOOT (SHOE)	Clear chromate zinc-plated steel with skid-resistant rubber tread
APPROVALS	ANSI Z359.1, EN 795 and OSHA regulations
MATERIAL HEAD	Aluminum alloy
MATERIAL LEG	High-tensile aluminum alloy
MAXIMUM PERSONNEL CAPACITY	400 lbs (182 kg)
MAXIMUM MATERIAL CAPACITY	620 lbs (280 kg)
MINIMUM VERTICAL STATIC STRENGTH	5,000 lbs (22.0 kN)

Locators & Supplies, Inc.

1614 W. Fir Ave

Fergus Falls MN 56537

(800) 950-6666

sales@locatorsandsupplies.com

www.locatorsandsupplies.com